



12V UNIX HEAD

AR111



ARES

H = 16" W = 3⁵/₈" LENGTH

488 30US Chrome 12"


12V 50W AR111

Beam spreads: 4°, 8°, 25°

Must use Protection Glass (included). Specify either:

488 92US Clear or

488 93US Frosted Spread



PROJECT: _____


TYPE: _____

NOTES: _____

PHOTOMETRICS LIGHT & CANDLEPOWER DISTRIBUTION


35AR111/4°/SSP

CBCP: 40,000 cd
Avg. Rated Life: 2000 hrs.




35AR111/8°/SP

CBCP: 14,000 cd
Avg. Rated Life: 2000 hrs.



35AR111/25°/FL

CBCP: 2800 cd
Avg. Rated Life: 2000 hrs.



* fc= approximate footcandles at centre


** diameter in feet

CBCP= centre beam candle power

cd= candella


50AR111/4°/SSP

CBCP: 50,000 cd
Avg. Rated Life: 2000 hrs.




50AR111/8°/SP

CBCP: 23,000 cd
Avg. Rated Life: 2000 hrs.



50AR111/25°/FL

CBCP: 4000 cd
Avg. Rated Life: 2000 hrs.



Magic Lite Ltd.


2526 Speers Road, Units 4-9, Oakville, Ontario, Canada L6L 5K8

Tel: 905-825-9592 • Out of Area: 1-888-945-5483 • Fax: 905-825-8334



12V UNIX HEADS


MR16 TYPE



ELITE

H = 2"	W = 2 7/8"	LENGTH
493 10	Chrome	4"
493 14	White	4"
493 15	Black	4"
493 30	Chrome	12"
493 34	White	12"
493 35	Black	12"
493 50	Chrome	20"
493 54	White	20"
493 55	Black	20"

12V 50W MR16*
See below for optional filters




LOUVER

Aluminum anti-glare louver for Elite and Elite Flex:

493 95 Black


PROJECT: _____
TYPE: _____
NOTES: _____



VIP

H = 2 3/4"	W = 2 7/8"	LENGTH
486 10	Textured Alum.	4"
486 14	White	4"
486 15	Black	4"
486 30	Textured Alum.	12"
486 34	White	12"
486 35	Black	12"
486 50	Textured Alum.	20"
486 54	White	20"
486 55	Black	20"


12V 50W MR16*
See below for optional filters.



ELITE FLEX

H = 2"	W = 2 7/8"	LENGTH
493 24	White	20"
493 25	Black	20"


12V 50W MR16*
See below for optional filters.



CAP

H = 2 3/8"	W = 3 3/8"	LENGTH
479 14	White	4"
479 15	Black	4"
479 34	White	12"
479 35	Black	12"


12V 50W MR16*
See below for optional filters.



SUPERVIP

H = 3 1/8"	W = 4"	LENGTH
489 30	Textured Alum.	12"
489 34	White	12"
489 35	Black	12"
489 50	Textured Alum.	20"
489 54	White	20"
489 55	Black	20"
489 70	Textured Alum.	28"
489 74	White	28"
489 75	Black	28"

12V 50W MR16*
See below for optional filters.



FILTERS


Protective filters for use with Elite, Elite Flex, Vip, Supervip and Cap:

421 99	Clear	498 82	Green
498 80	U.V.	498 86	Blue
498 81	Red	498 87	Yellow

LENSES

Decorative lenses for use with Elite and Vip:

44FL Frosted Lens



CLOUD

H = 2 3/4"	W = 4 3/4"	LENGTH
466 14	White	4"
466 15	Black	4"
466 44	White	12"
466 45	Black	12"


12V 50W MR16 (covered)

* Must use covered lamps when not using filters.



Magic Lite Ltd.


2526 Speers Road, Units 4-9, Oakville, Ontario, Canada L6L 5K8
Tel: 905-825-9592 • Out of Area: 1-888-945-5483 • Fax: 905-825-8334



COPPER


H = 2 3/4" W = 3 1/8" LENGTH
487 30 Chrome 12"
487 33 Copper 12"
 12V 35W MR11 (Covered)

PROJECT: _____
 TYPE: _____
 NOTES: _____



CLASS METAL

H = 3 1/4" W = 2 1/4" LENGTH
491 30 Chrome 12"
491 33 Gold 12"
491 34 White 12"
491 35 Black 12"
491 50 Chrome 20"
491 53 Gold 20"
491 54 White 20"
491 55 Black 20"
 12V 35W MR11 (covered)



POP²

W = 5 5/8" / 6 5/8" LENGTH
481 25 Black 6 3/4"
481 26 Aluminum 6 3/4"
 12V 35W MR11


FRAMING PROJECTOR:
 Includes 5 blades –
 4 framing, 1 circle spot
 See below for optional
 filters.



COPPER ARC

WALL MOUNT w/BASE
 H = 2 1/2" W = 20 1/2"
 L = 17 5/8" R = 8 7/8"
487 00 Chrome
 12V 35W MR11

TRACK MOUNT* w/ADAPTOR
 H = 2 1/2" W = 20 1/2"
 L = 15" R = 8 7/8"
487 70 Chrome
 12V 35W MR11 (covered)
 * Mounted w/Minitondo slot up.
 See below for optional
 filters.



FILTERS

Protective filters and decorative lenses for use with selected heads.

For Copper Arc:
421 99 Clear
498 80 U.V.
498 81 Red
498 82 Green
498 86 Blue
498 87 Yellow

For Pop²:
498 91 Red
498 92 Green
498 96 Blue
498 97 Yellow



CLASS GLASS

H = 3 1/4" W = 2 3/4" LENGTH
492 30 Chrome 12"
492 33 Gold 12"
492 34 White 12"
492 35 Black 12"
492 50 Chrome 20"
492 53 Gold 20"
492 54 White 20"
492 55 Black 20"

CLASS GLASS BLUE

492 20 Chrome 12"
492 25 Black 12"
 12V 35W MR11 (covered)